1957
I

RECORD

This book is of more than ordinary value to the owner and a reward will be paid if it is forwarded to:

Reed C. Rollins
22 Divinity Ave.
Cambridge 38, Mass.

Notes on Leavenworthia

April 7 at Decatur, Alabama.

L. exigua at Fort Oglethorpe and south of there is white flowered, the fls are small and fail to open very widely. I did not see that the calyx opened out as it does in L. stylosa. There is no noticeable odor to the fls.

L. stylosa - long-style and short fleshy pod seems to be south of a ridge or small rise running northeast from the high land of Bankhead Natl Forest. The long-podded, flat and non-fleshy short styled form appears to be to the north of this ridge.

Lesquerella densipila is in the same area with the short podded L. stylosa. We noticed a much stronger tendency toward light violet under side of petals in the long podded form of L. stylosa than in the short podded form.

Is the gynophore on the short podded form of any significance.

with R. L. Chambers

5701 Leavenworthia tomulosa Gray (16)
petals white with a yellow center;
inligures tomulose even when young;
thin soil over limestone; 1.5 miles
east of Cleveland, Bradley County,
Tennessee
April 5, 1957

5702 Leavenworthia exigua Rollins (19)
Flo. white with yellow center
Shallow soil over limestones, depression with
Jumpers about, eastern entrance to
the Chickamauga - Chattanooga National
Military Park, Catoosa County, Georgia
April 5, '57

5703 Cardamine hirsuta L. (5)
Cedar area, south of
Fort Oglethorpe, Catoosa County,
April 5, 1957

5704 Leavenworthia exigua (3)
five plants
petals white with yellow center;
cedar woods, 1 mile east of Fort
Oglethorpe, Catoosa Co., Ga.
April 6, 1957
N=11! checked 5/16/58

5705 Hexa. - virgina (12)
petals white with yellow center, fls. scarcely opening even at 10:30 a.m. bright sun. sepals show only slight tendency to spread.
seep in shallow soil, pasture bordered by cedars, 7 miles south of Fort Oglethorpe, Walker Co. Ga.

21 = 11 ! checked 5/6/58

5706 Plantago virginica L. (5)
abundant, as 5705 Det T. J. Rosatti

(5)

5707 Linaria ? (1)
Field, highway 114, Chatooga Co., Ga., 1/2 mile east of Alabama State line.
April 6

5708 Sibara virginica (L.) Rollins (3)
Field. 1/2 mile west of Falkville, Morgan Co. Alabama
April 6

5709 Hexa. uniflora (6)
Fls white, field - as 5708

5710 Lesquerella densipila (20)
Old corn field, 1.8 miles east of
field Masey School, between Falkville and Danville,
Morgan Co., Alabama
april 6 n = 8

5711 Leavenworthia crassa [stylosa] (11)
Abundant in old cornfield, siliques
field apparently inflated,
as 5710

Counted yellow vs white walking between
hills of corn rows & counting every plant
white 59 { 1st 100 plants encountered.
yellow 41 {

5712 Leav. [stylosa] alabamica (12)
petals white to pale violet, siliques flat,
styles relatively short.
field abundant in pasture, 4.1 miles
west of Moulton, Lawrence Co.,
Ala. - April 7
n = 11 checked

alabamiana

5713 Lear. [stylosa] (13)
abundant in old field, fls white on upper surface white & lower pale purple,
field photo a few yellow (butter) -
visited abundantly by bees
1/2 mile east of Vandiverville,
n=11 checked 5/8/58 Lawrence Co., Ala. - April 7

5714 Lear. stylosa (6)
Fls large, white or white with pale violet under side, no yellow seen
1/4 mile west of western boundary of Lawrence Co. in Franklin Co.,
Ala. - April 7

5715 Heuchera hispida (8)
near Cherry Hill crossing 1/8 miles
east of Russellville, Franklin Co.,
April 7,
(sometimes known as Richardson Crossing)

5716 Lear [stylosa] crassa (13)
Fls white, fruits fleshy, thick
abundant, field & glade 8 miles
alr 7 east of Wren, Lawrence County.
Alabama
April 7

5717 [illegible] (9)

5718 [illegible] (Michx.) Britt. (2)

5719 [illegible] (8)

5720 [illegible] (4)

5721 [illegible] (3)

N = 11 !

5/7/57

5722 Leucanella [illegible] (13)
Field and [illegible]
[illegible] Dallas Co., Texas
April 8, 1957

Tennessee

5723 Lecanora [illegible] (15)
Fls. nearly white to very pale violaceous
[illegible] calyx [illegible]
3.5 [illegible]
[illegible]

n = 15! checked 5/15/58

Physcia mirquicola L (4)
no 5239 Det T. H. Everett

(4)

(15)

n = 15!

(5)

Seen also 5 mi. N.E. of Leesburg.
" " 9 mi. " " " "

(7)

5729

(7)

Pericla Nutt

Det T. G. Rowell

(3)

(3)

(3)

5734 (9)

5735 (8)

5736 (6)

5737 (7)

5737 (4)

5737 (8)

(3)

(6)

(8)

(6)

Gray

(6)

Rollins

(6)

(3)

12.1

5753 [illegible] (5)
abundant [illegible]

5753 [illegible] (14)
abundant in [illegible]
3 [illegible]

Engelm. (7)

bulbosa (Schrad.) B.S.P. (9)

5756 aurea Nutt. (10)

n = 23! checked 6/3/58

(10)

aurea Wild.

tabernaemontana Walt.

comadensis L.

Oklahoma

5761 Sheppardia aequaniformis Boodman (3)
plate 1 fig. 1
wash. ord.
3.7

5762 Bursa spinosa Beadle (3)
as 5761

5762a D. brachycarpa - 2 pl. in mixture

meadia L. (1)
as 5761

pedata L. (1)

scilloides (Raf.) cory (1)

Torr.

(Hook.) Wats.

cuneifolia Nutt.

Torr.

5770 (1)

5771 (1)

n = 22 !

n = 24

5773 (15)

5775 (7)

N = 24! checked 6/3/58

5775 (3)

(1)

5777 (2)

Mittallii Gray (3)

5779 [illegible] (Hook.) Wats. (4)
[illegible] Howe. [illegible]
Texas [illegible]

5780 [illegible] pinnata (Walt.) Britt. (3)
as 5129

[With N. C. Small & K. L. Chamberlain]

5781 Dalea pinnata (Walt.) Britt. (2)
Roadside - near Alvarado, Johnson Co.
Texas April 14

5782 [illegible] (Engelm.) Wats. (12)
stylis [illegible], [illegible] south
of Pleasanton, Atascosa Co. Texas.

[illegible] (Hook.) Wats. (3)
as 5782

[illegible] ifolia, Nutt. (4)

Texas - [illegible]

[illegible] Lesq. densiflora (Gray) Watts.
Very abundant, [illegible]
[illegible] miles southeast of [illegible]
[illegible] County, Texas.
Sept. 12th

7786 Lesq. recurvata (Engelm.) Watts. (5)
Abundant on limestone outcrops:
4 miles north of Evant,
Hamilton County, Tex. April 16th

7787 Lesq. Engelmanni (Gray) Watts. (8)
Fls. yellow, [illegible]
[illegible] Texas,
[illegible] April 15th

7788 Lesq. recurvata (Engelm.) Watts. (3)
Fls. yellow, fruits on recurved
[illegible]
6. 3 mi. N. of Evant,
[illegible]

Camassia scilloides (Raf.) Cory (1)

(Hook.) Wats. (4)

leichtlinii Wats. (3)
var. orbiculare (Hall.) C.L. Hitchc.

(10)

macra (Bray) Wats. (5)

Texas – Carroll & Cockerell

5794 [illegible] primatus (Walt.) Britt.
[illegible]

5795 [illegible] (Bruneria) [illegible] (6)
[illegible]

5796 [illegible] (Walt.) Small (6)
[illegible]

5797 Hedeoma pulchella
Fls. purplish
Rear Mts., about 6 miles north
of Fredericksburg, Gillespie Co. Tex
April 16

Tuesday - Cornell Woodlands

5791 (Dray) Water 12

April 16

5799 (Water.) Small

April 16

(Eupelm.) 1 Wasp. 3

57101 (Wasp.) Small 5

Kane Woods, Tex

Texan - Correll & Chambers

(3)

[illegible] brevicuspata
found along road, near junction
with roads 83 and 90,
[illegible] Leakey, Real County
April 16

(3)

5/7/54 Streptanthus carinatus Nutt. (3)
2 mi. south of Leakey, Real Co.
April 16

(7)

[illegible] brevicuspata (4)
abundant [illegible] ...wood ...
...
April 17

(Wats.) Smell (3)

Siliceous very highly [illegible]

[illegible]

5 7 10 2 [illegible]

[illegible] oxygen (Gray) Wats. (1)

[illegible] Mouth,

5 7 10 2 Heavy oxygen (Gray) Wats. (3)

[illegible] predicts [illegible]

[illegible] E of mine southeast of Brackettville,

Tucson Cavalli & Chambers

5/11 Long. Fault
Outcrop at [illegible] miles
7.7 miles [illegible] Red Hills,
Pinery Co. [illegible] (2)

5/12 Long. argyrea (Strong) Watr. (5)
Outcrop
18 miles west of Red Hills, Pinery
Co. [illegible] Apical 17

5/11 Long. argyrea (Strong) Watr. (4)
Outcrop [illegible] miles, Pinery Co.
11 miles west of Red Hills, and thence to
Apical 18

5/11 Recurrence (1)
on [illegible]

Texas – Cornell & Stanley

57115 Lesq. angusa (1)
Stem fragment, abundant
near creek ~~8~~ miles north
of Quemado, Maverick Co., Tex
Cpd 1E

57116 Lesq. (Thuy.) Watsi. (2)
abundant along stony hillsides,
as 57115

57117 Rhipp. Walteri (Ell.) Mohr (6)
as 57116

57118 Lesq. (7)
sandy marl over chalk
Cenomanian
13.2 miles north of
Quemado
cpd 1E

Texas — Lamb Co. Meadow

57119 Ber[illegible] (4)
[illegible]
no. 57118.

57120 [illegible] primatus (Walt.) Britt (4)
Fls yellow, leaves wind green.
no. 57118

(Hook.) Watr. (2)
[illegible] sandhill
Muleshoe, Medina Co., Tex.
April 19

Ipomoea Nutt., var. orbiculare (2)
[illegible]
[illegible] sandhill, Foundation,
Atascosa Co., Tex. April 19

Texas - Carroll & Clover

(Hook ex Gray) Wats.

virginicum b. (3)
var. medium (Greene) C.L. Hitchc.

(Gray) Wats.

Taxus [illegible]

57132 [illegible] capitata (Dougl.) Hoose (1)
[illegible]

57132 [illegible] (Hook.) Wats. (2)
[illegible]

With Kenton L. Chambers

57133 [illegible] (Hook.) Wats. (3)
[illegible]

57134 [illegible] (4)
[illegible]

alabamica Rollins (5)

57135 Iowa. ~~Ala.~~ [illegible]
Cedar Grove [illegible]
7 miles east of Russellville
Franklin Co. Alabama
April 22
N = 11! checked 5/14/58

57136 Iowa. Lycalopex (3)
as 57135

57137 Iowa. ~~Ala.~~ alabamica (7)
Field, 1/2 dirt east of Leighton
Lawrence Co. Ala.
April 22
N = 11! checked 5/14/58

57138 Iowa. ~~Ala.~~ (3)
Field, 8 miles east of Wren
Lawrence Co. Ala. April 22

57139 Iowa. ~~Ala.~~ mice (4)
[illegible]
as 57135
N = 11! checked 5/14/58

with Chambers

n = 138

5/14/58 bear. ~~to~~ cross (11)

n = 11! checked 5/27/58
bridge seen at 2nd anaphase.

Immersed

5/2 bear. to cross (5)
pasture near Duck River,
2 miles south of Chapel Hill

n = 15!

5/14 bear. cross (5)

finish

n = 11

(25)

5-7-14 Lon. Skyline
[illegible]
1/2 mile north of Walker pass,
Rock [illegible]
Coll. J. T.

5-7-14 Dicen. tenuiloba (3)
no 5-7-14
N = 15 ! [illegible]

5-9-14 [illegible] (1)
No 5-9-14

[illegible] (2)
14 4

all four species growing together
intermixed.

(14)

5/26/58

(4)

$n = 11$! checked 5/26/58

57150 Sisymbrium juniperorum
Fls. pale lavender, siliques erect;
hillside near Glenwood Springs,
Garfield Co., Colorado
June 13, 1957

57151 Sisymbrium
Fls. pale lavender, siliques arching
downward, as 57150

57152 Physaria floribunda Rydb.
Leaves silvery, as 57150

Localities for Lesquerella.

New Mexico: top of Sandia Mt. July 25, 1935
Bro. Arsène no. 21794.

Alberta: sandy soil near Milk River, southern Alberta. June 24, 1932.
W.C. McCalla 3849.

Reed C. Rollins
22 Divinity Ave.
Cambridge 38, Mass.


195
U.S.A.